

THE INVISIBLE ROLLER BLIND BOX



2019

# *SMART & SIMPLE*

---

## *LIST OF BOXES AND ACCESSORIES*

A large, stylized graphic at the bottom of the page. It features several horizontal slats of varying lengths and widths, some overlapping, arranged in a way that suggests a roller blind. To the right of these slats is a large, light gray circular shape. The website address "www.edilcass.it" is printed in a small, black, sans-serif font within the lower right portion of this circular shape.

[www.edilcass.it](http://www.edilcass.it)

















## CONTENTS

ROLLER BLIND BOX BASE-PLUS-IPER-ROTO SERIES.....	PAGE	1
SPECIAL BOXES - LATE BOXES CUT TO SIZE .....	PAGE	2
ADDITIONAL WORK ON BOX BAR.....	PAGE	2
ABS END PANELS .....	PAGE	3
WOOD FIBER OR PLYWOOD END PANELS.....	PAGE	4
ABS "FAST-JOINT" END PANELS AND ACCESSORIES .....	PAGE	4
FAST BELT GUIDE - ACCESSORIES.....	PAGE	5
ACCESSORIES FOR END PANELS.....	PAGE	5
GLASS-FIBER GRID PLASTER-BEARE .....	PAGE	5
ROLLER ACCESSORIES AND SUPPORTS .....	PAGE	6
SUPPORTS FOR MOTOR OPERATION .....	PAGE	6
ABS PULLEY - METAL PULLEY .....	PAGE	6
ACCESSORIES (roller caps, rollers, supports and belt guides, EMA profiles).....	PAGE	7
PVC SOFFIT PANEL (components and accessories) .....	PAGE	8
RUNNING/PLUG-IN SOFFIT PANEL (components and accessories) .....	PAGE	9-10
ROLLER BLIND BOX MACHINES AND TOOLS.....	PAGE	11

*Please consult technical manual for further information or details.*





**PLUS**

ART. CBPLUS

<b>22</b> 	<b>25</b> 	<b>26</b> 	<b>28</b> 	<b>30/25</b> 	<b>30</b> 	<b>35</b> 
 TYPE Z	 TYPE Z	 TYPE B	 TYPE Z	 TYPE Z	 TYPE Z	 TYPE Z
pallet = 28-36 bars	pallet = 28-32 bars	pallet = 28-32 bars	pallet = 28 bars	pallet = 24-28 bars	pallet = 24-28 bars	pallet = 20-24 bars









**IPER**

ART. CBIPER

<b>30TH</b> 	<b>35TH</b> 
 TYPE Z	 TYPE Z
pallet = 24-28 bars	pallet = 20-24 bars













**ROTO**

ART. CBPLUS

<b>27</b> 	<b>29</b> 	<b>30 TH</b> 	<b>35 TH</b> 
 TYPE Z	 TYPE Z	 TYPE Z	 TYPE Z
pallet = 28 bars	pallet = 24-28 bars	pallet = 24-28 bars	pallet = 20-24 bars



**BASE**

ART. CBBASE

<b>25</b> 	<b>28</b> 	<b>30</b> 	<b>35</b> 	<b>30TH</b> 	<b>35TH</b> 
 TYPE Z	 TYPE Z	 TYPE Z	 TYPE Z	 TYPE Z	 TYPE Z
pallet = 28-32 bars	pallet = 28 bars	pallet = 24-28 bars	pallet = 20-24 bars	pallet = 24-28 bars	pallet = 20-24 bars

**SOLE**


ART. CBSOLE

<b>22</b> 
 TYPE B
pallet = 28-36 bars

For special solution please  
contact our Technical Office



## Special Boxes

### MAXI




ART. MAXIPLUS  
in bars of 6 ml

### SOLE M




ART. CMSOLEM  
in bars of 6 ml

## Additional work on box bar




SLAB MADE OF POLYSTYRENE 2000 x 300  
mm TO INCREASE THICKNESS OF BOX  
(VARIOUS THICKNESS)

5POS2020	cm 2
5POS3020	cm 3
5POS5020	cm 5



SURCHARGE FOR SUPPLEMENTARY SLABS  
TO INCREASE THICKNESS OF INNER SIDE  
SIDE PANEL (SLAB ASSEMBLED AND  
PLASTERED)

7ASP2	cm 2
7ASP3	cm 3
7ASP5	cm 5




*work for 30-35-30th-35th models*

7T1SC (A) height reduction of one side box

7T2SC (B) height reduction of both side box

*minimum purchase order: 50 bars=300 ml*

For special solution please  
contact our Technical Office




HEAD PANEL SUITABLE  
FOR BOXES WITH Z  
ALUMINUM PROFILE

**"FAST JOINT" ABS END PANEL WITH TIPS, BOTTOM WITH WINGS  
AND SOFFIT PANEL SUPPORT:**

**5PTA2505** FOR BOX SHAPE 25



TYPE Z




HEAD PANEL SUITABLE  
FOR BOXES WITH B  
ALUMINUM PROFILE

**"FAST JOINT" ABS END PANEL WITH TIPS, BOTTOM WITHOUT  
WINGS AND WITHOUT SOFFIT PANEL SUPPORT:**

**5PTA2506** FOR BOX SHAPE 25



TYPE B



HEAD PANEL SUITABLE  
FOR BOXES WITH ANY TYPE  
OF ALUMINUM PROFILE

### ABS END PANELS:

**5PTA2501** FOR BOX SHAPE 25

**5PTA2601** FOR BOX SHAPE 26

**5PTA3201** FOR BOX SHAPE 30/25

**5PTA3001** FOR BOX SHAPE 30 & 35TH

**5PTA3501** FOR BOX SHAPE 35



### ABS LOCKING BOTTOM PANEL ( ONLY FOR EMA PROFILE Z BOXES ) :


**5FIA2501** FOR BOX SHAPE 25

**5FIA3001** FOR BOX SHAPE 30


**5FIA3501** FOR BOX SHAPE 35



TYPE Z


**WOOD FIBER OR PLYWOOD END PANELS:**

5PTL0001 SUITABLE FOR ALL BOXES

5PTL0002 FOR MAXI BOX  
in poplar plywood 30 x 35 cm**FAST HEAD PANEL FOR PLUS - IPER - BASE BOXES :**

5FAST28/30TH FOR BOXES MOD. 28/30TH

5FAST30/35TH FOR BOXES MOD. 30/35TH

**FAST HEAD PANEL FOR ROTO BOXES :**

5FASTROTO27 FOR BOXES MOD. ROTO 27

5FASTROTO29 FOR BOXES MOD. ROTO 29 - 30TH - 35 TH

**ACCESSORIES FOR FAST HEAD PANEL**

5SFASTMU FAST UNIVERSAL MOTOR SUPPORT (UNIT B)




5SFASTNM NICE- MAX FAST JOINT MOTOR SUPPORT

5SFASTCT FAST SUPPORT FOR TELESCOPIC CAP + PLUG  
(TANDEM) - UNIT (A)5SFASTS SOMFY FAST JOINT MOTOR SUPPORT  
*(spring Ring ART 9206033-SOMFY not included)*

1MFMS SPRING RING ART 9206033-SOMFY



5ZA00003 CLAMP FAST JOINT



5STFAST MODULAR BOTTOM EXTENSION 30 mm




5SBFAST FLAP FOR PLUG IN SOFFIT PANEL

### FAST BELT GUIDE - ACCESSORIES



**5SGF0001** SUPPORT FOR FAST BELT GUIDE



**5GUF0001** FAST PVC BELT GUIDE WITH ROLLER AND SEAL



**5CSG0001** COMPENSATOR (10 mm) FOR FAST BELT SUPPORT IN PRESENCE OF TILES, COATING.

### ACCESSORIES FOR END PANELS:



**5ZA00001** CLAMP FOR END PANELS



**5BU06012** BOLT WITH NUT M6X20

**5BU06009** BOLT WITH NUT M6X25


**5BU06010** BOLT WITH NUT M6X30

**5BU06011** BOLT WITH NUT M6X35



**5RO00001** GALVANIZED PLANE WASHER mm 6X18 FOR BOLT

### GLASS-FIBER GRID PLASTER-BEARE :



**5RI00001** GLASS-FIBER GRID PLASTER-BEARE TERMO-NET H1 X 100 M



**5CK00001** KLEBOFIX GLUE 195/197 ( 25 KG TIN)



### ROLLER ACCESSORIES AND SUPPORTS:



**5BO00001** NYLON BUSH FOR PULLEY JOINT



**5SP95002** NECK SUPPORT 90 mm WITH REMOVABLE BEARING (KIT)



**5RS95001** ADDITIONAL REINFORCE FOR 90 MM SUPPORT



**5SD00002** PLANE SUPPORT WITH REMOVABLE BEARING (KIT)



**5CU40001** NYLON BALL BEARING 40 mm

### SUPPORTS FOR MOTOR OPERATION :




**5PIM0001** MOTOR SUPPORT UNTIL 90 kg



**5PIM0002** MOTOR SUPPORT OVER 90 kg

### ABS PULLEY FOR OCTAGONAL ROLLER:




**5PU18002** 180 mm DIAMETER

**5PU20002** 200 mm DIAMETER

**5PU22002** 220 mm DIAMETER










### GALVANIZED METAL PULLEY FOR ROD :



**5PU19001** 190 mm DIAMETER

**5PU21001** 210 mm DIAMETER

**ACCESSORIES:**

	<b>5CAA5001</b>	ABS CAP ROLLER mm 50 - 60 mm DIAMETER
	<b>5CAMRE01</b>	METAL CAP ROLLER ADJUSTABLE 60 mm DIAMETER
	<b>5RU05001</b>	GALVANIZED OCTAGONAL ROLLER 5/10 - DIAMETER 60 mm. - GERMANY HOLES
	<b>5RU06001</b>	GALVANIZED OCTAGONAL ROLLER 6/10 - DIAMETER 60 mm - GERMANY HOLES
	<b>5RU08001</b>	GALVANIZED OCTAGONAL ROLLER 8/10 DIAMETER 60 mm - GERMANY HOLES
	<b>5SG00001</b>	GALVANIZED METAL SUPPORT FOR PVC BELT GUIDE EDILCASS
	<b>5GUP0001</b>	PVC BELT GUIDE EDILCASS
	<b>5PU2U001</b>	UNIVERSAL PLATE FOR BAR WINCHES AND MOTOR REDUCERS WITH ADDITIONAL OPERATING BY HAND
	<b>5VT4225T</b>	SCREW THREAD TGS T+ ZN 4,2 X25 (FOR BELT GUIDE AND LIFTING GEAR)
	<b>5PA12154</b>	EMA ALUMINIUM PROFILE 12154 DIM. 85 x 2 mm - 6 m BAR - additional profile
	<b>5PA12155</b>	EMA ALUMINIUM PROFILE 12155 DIM. 70 x 2 mm - 6 m BAR- additional profile
	<b>5GTS0002</b>	BRUSH SEAL 4,8X9N FOR EMA 12155 ( 70 mm) AND PVC SOFFIT PANEL

**PVC SOFFIT PANEL (components and accessories):****PVC SOFFIT PANEL (6,00 m bar)****CELPVCV****NO = NORMAL**

width = mm 225

**BI036 = WHITE** (BIANCO 36)**BE250 = BEIGE** (AVORIO 250)**RAL 7016 GREY** (GRIGIO RAL 7016)**RI = CUTTED**

width = mm 205

**BI036 = WHITE** (BIANCO 36)**BE250 = BEIGE** (AVORIO 250)**RAL 7016 GREY** (GRIGIO RAL 7016)**PVC FINISHING LIST (COVER CAP)  
FOR BOX EDGE (6 m bar)****COPRIFILOV****BI036 = WHITE** (BIANCO 36)**BE250 = BEIGE** (AVORIO 250)**5CA00006**

PADLOCK FOR PVC SOFFIT PANEL

**5GTS0002**

BRUSH SEAL 4,8X9N FOR EMA 12155

PVC/TEX 8 mm

**STEXMIS****BOTTOM IN PVC/TEX**BOTTOM PVC/TEX CLOSING 8 mm  
(slabs of 6000 x 300 mm)**PVC SOFFIT PANEL WITH INTEGRATED STAFF  
BEAD, IN 6,10 m BARS.****CELPVCCI**

width = mm 220

**BIA = WHITE GENERIC****BEI = BEIGE GENERIC**

## RUNNING/PLUG-IN SOFFIT PANEL (components and accessories)

### COATED CLIPBOARD MDF PANEL - THICKNESS 14 mm



**5MDF0001** PANELS 376X186 cm

BI= WHITE  
DO=DOUGLAS  
NO= NUTBROWN  
PI=PINE

**PANMISMDF** STRIPS MAX LENGTH 376 cm

BI= WHITE  
DO=DOUGLAS  
NO= NUTBROWN  
PI=PINE

### **5CC00001V** SOFFIT PANEL FACE




PVCE = EXPANDED PVC (6,00 m bars)

BI= WHITE  
DO=DOUGLAS  
NO= NUTBROWN  
PI=PINE




GR = UNFINISHED RAMIN WOOD

LC = UNFINISHED RAMIN WOOD




















**5GUPE001** EXPANDED POLIURETHANE BRUSH SEALING  
FOR EXPANDED PVC FACE



**5TPL0001** SIDE CAP FOR EXPANDED PVC FACE

BI= WHITE  
DO=DOUGLAS  
NO= NUTBROWN  
PI=PINE

	<b>2PROF-UV</b>	PVC PUSH-FIT "U" PROFILE FOR 14mm SOFFIT PANEL	BI= WHITE DO=DOUGLAS NO= NUTBROWN PI=PINE
	<b>5PA10674</b>	EMA 10674 FOT SOFFIT PANEL ARRANGED FOR BRUSH SEALING, 6,00 m BARS	
	<b>1GT00003</b>	BRUSH SEALING 4,8 X 3 mm FOR 5PA10674	
	<b>2PROF-GV</b>	PUSH-FIT PVC PROFILE - WHITE - 15 mm - E ARRANGED FOR BRUSH-SEALING, 6,00 m BARS	
	<b>5GC00002</b>	BRUSH SEALING 4,8 X 6 B FOR 2PROV-GV	
	<b>5GCP0001V</b>	PVC GUIDES FOR SOFFIT PANEL WHITE - 15 mm	
	<b>5GCAG001</b>	ALUMINIUM GUIDES FOR SOFFIT PANEL 15 mm ARRANGED FOR BRUSH SEALING - 6 m BARS (EMA6014)	
	<b>5GC00002</b>	BRUSH SEALING 4,8 X 6 B FOR GUIDES	
	<b>5CK00004</b>	VINILIC GLUE FOR FIXING BRUSH SEALING TO PVC AND ALUMINIUM GUIDES - 5 kg CAN	
	<b>5GCA0001</b>	ALUMINIUM GUIDES FOR SOFFIT PANEL - 15 mm - 6 m BARS (EMA5320)	
	<b>2GCPGCM</b>	WHITE PVC GUIDE FOR PVC SOFFIT PANEL - 15 mm - CUSTOMIZED CUT -WITH BRUSH SEALING	
	<b>2GCA0CM</b>	ALUMINIUM GUIDE FOR SOFFIT PANEL -15 mm - CUSTOMIZED CUT (EMA 5320)	
	<b>2GCAGCM</b>	ALUMINIUM GUIDE FOR SOFFIT PANEL- 15 mm - WITH BRUSH SEALING - , CUSTOMIZED CUT (EMA 6014)	
	<b>5VT4213A</b>	SCREW THREAD AC C PH CIL 4,2X13 GALVANIZED WHITE 8C (FOR GUIDES)	
	<b>5VT42X13</b>	DRILLEX SCREW GALVANIZED WHITE 4,2 X13 (FOR GUIDES)	
	<b>5SQANG01</b>	ABS SQUARED COUPLING FOR SOFFIT PANEL RUNNER AND PUSH-FIT PROFILE	
	<b>5LP10015</b>	POLYSTYRENE INSERT FOR SOFFIT PANEL RUNNER (dim. 100 x 1,6 x 1,6 - sold in parcel of 540 pc)	

## ROLLER BLIND BOX MACHINES AND TOOLS

**1CH21501**

COIL NAIL FIXING MACHINE- STANLEY ROLL 60

**5CH00037**

21/45 NAILS FOR COIL FIXING MACHINE

**1MTCTD01**

LINEAR CUTTING MITRE SAW - COMPOSITION:  
 1 MACHINE WITH 400 v, 3Kw MOTOR , 2 ROLLER  
 TROLLEYS INCLUDING RULE AND SLIDING  
 MEASURE ROD) START-UP NOT INCLUDED

**1LTA4001**

ABRASIVE CUTTING BLADE 500X5X40 A 24 R

**1MS00001**

CUT-OFF PLASTER SUPPORT WINGS MACHINE  
 start-up not included